

## PRODUCT INFORMATION

## HOUSE SERVICE CUT-OUT FUSE-LINKS

TYPE ME & MF

400/415 Volt House Service Fuse-Links to IEC 60269-3/BS 88-3
Rated Voltage 415V a.c. Breaking Capacity 80kA a.c. Breaking Range and Utilisation Category gG



Lawson Type "ME" and "MF" fuse-links are for use in single or three-phase house service cut-outs or similar installations. The standardized BS 1361 breaking capacity of these fuse-links is 33kA at 0.3p.f.

However, to cater for increased fault levels, all Fuse-links have been ASTA Certified to 80kA at 0.15pf.

Note: MEI00A Fuse-Links tested to BS 1361



## **PRODUCT DETAILS**

## **CURRENT RATINGS AND PRINCIPAL DIMENSIONS**

BS 1361	List Reference	Current Rating	Principal Dimensions			
		(A)		L	D	
			mm	ins	mm	ins
	ME5	5	57	2 1/4	22.23	<sup>7</sup> / <sub>8</sub>
IIA	ME10	10				
	ME16	16				
	ME20	20				
	ME25	25				
	ME32	32				
	ME40	40				
	ME45	45				
	ME50	50				
	ME63	63				
	ME80	80				
	ME100	100				
	MF16	16	57	2 1/4	30.16	
IIB	MF20	20				
	MF32	32				
	MF40	40				1 3/ <sub>16</sub>
	MF50	50				1
	MF63	63				
	MF80	80				ĺ
	MF100	100				





